





Microbial contamination	Ph. Eur. (current ed.)		
<i>Total aerobic microbial count (TAMC)</i>	2.6.12, 2.6.13	≤ 10 <sup>2</sup> cfu/gram	< 10 <sup>2</sup> cfu/gram
<i>Total combined yeasts/moulds count (TYMC)</i>		≤ 10 <sup>1</sup> cfu/gram	< 10 <sup>1</sup> cfu/gram
<i>S. aureus, P. aeruginosa, bile-tolerant gram-negative bacteria</i>		Absent (1 gram)	conform
Aflatoxins	Monograph		
<i>Aflatoxin B<sub>1</sub></i>		≤ 2 µg/kg	< 2.0 µg/kg
<i>Sum of aflatoxins B<sub>1</sub>, B<sub>2</sub>, G<sub>1</sub> and G<sub>2</sub></i>		≤ 4 µg/kg	< 4.0 µg/kg
Pesticides	Ph. Eur. (current ed.) 2.8.13	≤ Limits Ph. Eur. 2.8.13*	conform
Heavy metals	Ph. Eur. (current ed.)		
<i>Lead</i>	2.4.27, 2.2.58	max. 20.0 ppm	< 5 ppm
<i>Cadmium</i>		max. 0.5 ppm	< 0.125 ppm
<i>Mercury</i>		max. 0.5 ppm	< 0.125 ppm
Loss on drying	Ph. Eur. (current ed.) 2.2.32	≤ 10.0 %	8.4 %
Assay (HPLC)	Ph. Eur. (current ed.)		
<i>Tetrahydrocannabinol (THC, total equivalent)</i>	2.2.29, Monograph	< 1.0 %	0.3 %
<i>Cannabidiol (CBD, total equivalent)</i>		7.5 % [6.0 – 9.0]	7.2 %
Related substances (HPLC)	Ph. Eur. (current ed.)		
<i>Cannabinol (CBN, total equivalent)</i>	2.2.29, Monograph	≤ 1.0 %	< 0.1 %
Content of container	BMC-SWV 360	5 gram	± 5.13 gram
Expiry date			March 2023

\*The following pesticides are not analysed: dithiocarbamates (expressed as CS<sub>2</sub>), methoxychlor, paraoxon-methyl and tetradifon. The limit of detection is increased for fenpropathrin to 0.1 mg/kg and azinphos-ethyl to 1 mg/kg.

I hereby certify that the above information is authentic and accurate. This batch of product has been cultivated and manufactured, including packaging and quality control at the above mentioned sites in full compliance with the GAP requirements as published in the Dutch State Gazette (Staatscourant) as the annex to the Regulation of the Minister of Health, Welfare and Sport of 9 January 2003, GMT/BMC 2340685, and with the specifications as stated in this document. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GAP and GMP.

The Hague, the Netherlands, 10 May 2022

Dr. M.J. van de Velde

Head, Office of Medicinal Cannabis

Dr. M.J. van de Velde